

# M12 Pre-Assembled E-Stop Stations

The ECS series E-Stop Station is a pre-assembled plastic enclosure, equipped with a red 40mm twist-to-release E-Stop, and pre-wired with a male M12 connector (0.5") on the side of the enclosure.

## Features and specifications:

- Double insulation
- Enclosure dimensions: 70x70x50mm
- Connections: M12 connector, 5 or 8 poles
- Voltage rating: 250V AC / 24 V DC
- Current rating: 4A
- Operating temperature: -40 to 70°C
- Ingress Protection: IP65
- Approvals: cULus; # E504189



## E-Stop Stations and PVC Cables (Order by Part No.)

Part No.	Description	Connector	Contact
ECS211	E-Stop control station	5 poles M12	1 NC
ECS212	E-Stop control station	5 poles M12	1 NO / 1 NC
ECS213	E-Stop control station	5 poles M12	2 NC
ECS214	E-Stop control station	5 poles M12	1 NO / 2 NC
ECS215	E-Stop control station	8 poles M12	1 NO / 2 NC
ECS216	E-Stop control station	8 poles M12	2 NO / 1 NC
Part No.	Description	Cable	-
XX5D030SM	M12 PVC cable; 3m	5 poles; female	
XX5D050SM	M12 PVC cable; 5m	5 poles; female	
XX8D030SM	M12 PVC cable; 3m	8 poles; female	
XX8D050SM	M12 PVC cable; 5m	8 poles; female	

Information subject to change without notice  
Contact ITC about other models and M12 cables

## Dimensional Drawing - ECS E-Stop stations

